



Control Statements

Control statements are used to control the flow of execution depending upon the specified condition/logic.

There are three types of control statements.

- **1. Decision Making Statements**
- 2. Iteration Statements (Loops)
- 3. Jump Statements (break, continue, pass)




Decision making statement used to control the flow of execution of program depending upon condition.

There are three types of decision making statement.

- 1. if statements
- 2. if-else statements
- 3. Nested if-else statement



An if statement is a programming conditional statement that, if proved true, performs a function or displays information.



Syntax: if(condition): statement [statements]

statements

-

e.g.

fppt.c

```
noofbooks = 2

if (noofbooks == 2):

    print('You have ')

    print('two books')

print('outside of if statement')

Output

You have two books
```

Note:To indicate a block of code in Python, you must indent each line of the block by the same amount. In above e.g. both print statements are part of if condition because of both are at same level indented but not the third print statement.



Using logical operator in if statement

x=1
y=2
if(x==1 and y==2):
 print('condition matcing the criteria')

-

Output :condition matcing the criteria

fstatements

a=100 if not(a == 20): print('a is not equal to 20')

Output :-


fppt.c

a is not equal to 20



2. if-else-Statements

If-else statement executes some code if the test expression is true (nonzero) and some other code if the test expression is false.



f-else Statements Syntax: if(condition): statements else: statements e.g. a=10 if(a < 100): print('less than 100') else: print('more than equal 100')

 \wedge

-

OUTPUT less than 100


fppt.c

*Write a program in python to check that entered numer is even or odd



3. Nested if-else statement

The nested if...else statement allows you to check for multiple test expressions and execute different codes for more than two conditions.



Syntax

If (condition): statements elif (condition): statements

else:

statements

 \wedge

_

statement

01

```
E.G.

num = float(input("Enter a number: "))

if num >= 0:

if num == 0:

print("Zero")

else:

print("Positive number")

else:

print("Negative number")

OUTPUT

Enter a number: 5

Positive number
```

* Write python program to find out largest of 3 numbers.

Visit : python.mykvs.in for regular updates

fppt.c



Iteration statements(loop) are used to execute a block of statements as long as the condition is true. Loops statements are used when we need to run same code again and again. Python Iteration (Loops) statements are of three type :-

1. While Loop


2. For Loop

3. Nested For Loops

It is used to execute a block of statement as long as a given condition is true. And when the condition become false, the control will come out of the loop. The condition is checked every time at the beginning of the loop.

-

1. While Loop





e.g.

```
x = 1
while (x < 3):
    print('inside while loop value of x is ',x)
    x = x + 1
else:
    print('inside else value of x is ', x)</pre>
```

Vhile Loop With Else

-

While Loop continue

Output

inside while loop value of x is 1 inside while loop value of x is 2 inside else value of x is 3

*Write a program in python to find out the factorial of a given number



Infinite While Loop

-

 \mathbf{O}

```
e.g.
x = 5
while (x == 5):
print('inside loop')
```

While Loop continue

```
Output
Inside loop
Inside loop
```

...

...

fppt.c

or Loop It is used to iterate over items of any sequence, such as a list or a string. **Syntax** for val in sequence: statements e.g. for i in range(3,5): print(i)

-

Output

3

4

fppt.c



2. For Loop continue Example programs for i in range(5,3,-1): print(i)

Output

5 4

range() Function Parameters

start: Starting number of the sequence.

stop: Generate numbers up to, but not including this number. step(Optional): Determines the increment between each numbers in the sequence.

```
r Loop continue
       For Loop With Else
e.g.
for i in range(1, 4):
  print(i)
else: # Executed because no break in for
  print("No Break")
Output
1
2
3
No Break
```

 \wedge

-

```
2. For Loop continue
Nested For Loop
e.g.
for i in range(1,3):
for j in range(1,11):
k=i*j
print (k, end=' ')
print()
```

 \wedge

-

Output 1 2 3 4 5 6 7 8 9 10 2 4 6 8 10 12 14 16 18 20

fppt.c

Jump statements are used to transfer the program's control from one location to another. Means these are used to alter the flow of a loop like - to skip a part of a loop or terminate a loop

-

3. Jump Statements

There are three types of jump statements used in python.
1.break
2.continue
3.pass

it is used to terminate the loop.

 \wedge

-

```
e.g.
for val in "string":
  if val == "i":
    break
  print(val)
print("The end")
Output
S
t
The end
```

.brea

Visit : python.mykvs.in for regular updates

fppt.c

in the loop and move controls back to the top of the loop.

e.g. for val in "init": if val == "i": continue print(val) print("The end")

-

Output

n

fppt.c

t____

The end

This statement does nothing. It can be used when a statement is required syntactically but the program requires no action.

<u>Use in loop</u>

while True:

pass # Busy-wait for keyboard interrupt (Ctrl+C)

In function

It makes a controller to pass by without executing any code.


pass Statement

e.g.

def myfun():

pass #if we don't use pass here then error message will be shown
print('my program')

OUTPUT My program



will continue through the remainder or the loop body.